INDEX OF AUTHORS AND SUBJECTS

VOL. 87

Compiled by A.R. McGILL

Abundance of estrildid finches at waterholes in the Kimberley (W.A.), 124-127
AHLQUIST, J.E., see SIBLEY, C.G.
AMBROSE, S.J., Adult Fan-tailed Cuckoo *Cuculus pyrrhophanus* feeds fledgling, 69
AMES, P.L., The unusual syrinx morphology of Australian Tree-creepers *Climacteris*, 192-195
Annual cycle of the Avadavat *Amandava amandava* in Fiji, 232-243
Avadavat, the annual cycle in Fiji, 232-243
Avian Family-Group Names, 56
  speciation in continental Australia, minor isolates and minor geographical barriers, 90-102
Avifanua of 'Eua and its offshore islet Kalau, Kingdom of Tonga, 26-34
BEEHLER, B.M., Birds of Paradise and mating system theory — predictions and observations, 78-79
Biology of the Western Bristlebird *Dasyornis longirostris*, observations, 111-118
Birds of Paradise and mating system theory — predictions and observations, 78-79
Boobies, counts of nesting in Western Australia, 128-129
Book Reviews, 70-72, 134-136, 200, 259-264
BOUGHER, A.R., see EVANS, S.M.
Breeding behaviour of three species of Fairy-wrens, 73-77
  biology of Blue Petrels at the Prince Edward Islands, 103-110
  strategies of the Black Noddy in Fiji, 50-52
  success of Malleefowl in central New South Wales, 42-45
BRICKHILL, J., Breeding success of Malleefowl *Leipoa ocellata* in central New South Wales, 42-45
Bristlebird, Western, observations on the biology, 111-118
BROOKER, M.G., see RIDPATH, M.G.
BROWN, R.S., see NORMAN, F.I.
BURBIDGE, A.A., FULLER, P.J., LANE, J.A.K. & MOORE, S.A., Counts of nesting boobies and Lesser Frigate-birds in Western Australia, 128-129
CHRISTIDIS, L., Phylogeny and systematics of estrildine finches and their relationships to other seed-eating passerines, 119-123
CHRISTIDIS, L., see SCHODDE, R.
Counts of nesting boobies and Lesser Frigate-birds in Western Australia, 128-129
Cracticus torquatus argenteus, further comments on the type-locality, 46-49
Cuckoo, Fan-tailed, adult feeds fledgling, 69
Dabchick, New Zealand, morphology and relationships, 159-157
DAVIES, S.J.J.F., Obituary — Dr Julian Ford, 132
DAVIS, W.A., see RECHER, H.F.
DIAMOND, J., Flocks of brown and black New Guinean birds: a biocoloured mixed-species foraging assocation, 201-211
Diving-Petrels, Common, found beach-washed in Victoria, 1985, 179-185
Eagle, Wedge-tailed, breeding in arid Western Australia, sites and spacing of nests as determinants, 143-149
  Wedge-tailed, effects of drought on a breeding population, 220-223
Ecology of Brown and Striated Thornbills in forests of south-eastern New South Wales, with comments on forest management, 1-13
Effects of drought on a breeding population of Wedge-tailed Eagles, 220-223
Egg weight loss during incubation in captive Australian Kestrels and Brown Goshawks, 196-199
EVANS, S.M. & BOUGHER, A.R., The abundance of estrildid finches at waterholes in the Kimberley (W.A.), 124-127
Fairy-wrens, periodicity of breeding behaviour of three species, 73-77
Finches, estrildid, abundance at waterholes in the Kimberley (W.A.), 124-127
  estrildine, phylogeny and systematics and their relationships to other seed-eating passerines, 119-123
Flocks of brown and black New Guinean birds: a biocoloured mixed-species foraging association, 201-211
Foot-tapping by juvenile Bridled Terns: A form of communication?, 255-256
FORD, J., Minor isolates and minor geographical barriers in avian speciation in continental Australia, 90-102; Hybrid zones in Australian birds, 158-178
FORD, J. & MEES, G., Further comments on the type-locality of *Cracticus torquatus argenteus* Gould, 46-49
FORD, J. & SIMPSON, I.W., Pigment and morphometric variation in the Buff-rumped Thornbill, 53-56
Frigate-birds, Lesser, counts of nesting in Western Australia, 128-129
FUGLER, S.R., HUNTER, S., NEWTON, I.P. & STEELE, W.K., Breeding biology of Blue Petrels *Halobaena caerulea* at the Prince Edward Islands, 103-110
FULLER, P.J., see BURBIDGE, A.A.
GALES, R.P., Growth strategies in Blue Penguins *Eudyptula minor minor*, 212-219
Genetic differentiation and subspeciation in the Grey Grasswren *Amytornis barbatus* (Maluridae), 188-192
Goshawk, Brown, Egg weight loss during incubation in captivity, 196-199
Grasswren, Grey, Genetic differentiation and subspeciation, 188-192
Grebe,Hoary-headed, Morphology and relationships, 150-157
Ground Robins, New Guinean, relationships, 247-248
Growth strategies in Blue Penguins *Eudyptula minor minor*, 212-219
Harpy-Eagle, New Guinea, temporal variations in the frequency of vocalizations, 257-258
HOLMES, R.T., see RECHER, H.F.
Honeyeater, Brown, survival in south-east Queensland, 137-142
  movements by radio-tracking, 249-252
HUNTER, S., see FUGLER, S.R.
Hybrid zones in Australian birds, 158-178
International Ornithological Congress, 185
Kestrel, Australian, movements and measurements, 35-41
  egg-weight and loss during incubation in captivity, 196-199
LANE, J.A.K., see BURBIDGE, A.A.
LANGHAM, N.P.E., The annual cycle of the Avadavat *Amandava amandava* in Fiji, 232-243
Macrogeographic variation in the song of the Olive Whistler, 14-25
Malleefowl, breeding success in central New South Wales, 42-45
MARPLES, T.G., see TIDEMANN, S.C.
Mating system theory in Birds of Paradise — predictions and observations, 78-89
MEES, G.F., see FORD,J.
Melampitta, Lesser, is a bird of paradise, 66-68
Migration and breeding strategies of the Black Noddy, Fiji, 50-52

Minor isolates and minor geographical barriers in avian speciation in continental Australia, 90-102
Mistletoebird and Australian mistletoes: Co-evolution or coincidence? 130-131
MOORE, S.A., see BURBIDGE, A.A.
Morphology and relationships in the Hoary-headed Grebe and the New Zealand Dabchick, 150-157
Movement and measurements of the Australian Kestrel, 35-41
New Guinean birds, flocks of brown and black: a biocoloured mixed-species foraging association, 201-211
NEWTON, I.P., see FUGLER, S.R.
New Zealand passerine birds, the relationships of four species, 63-66
Noddy, Black, migration and feeding strategies in Fiji, 50-52
NORMAN, F.I., & BROWN, R.S., Notes on Common Diving-Petrels *Pelecanoides urinatrix* found beach-washed in Victoria, 1985, 179-185
Obituary — Julian Ford, 132
— Michael Sharland, 133
O'CONNOR, P.J., PYKE, G.H. & SPENCER, H., Radio-tracking honeyeater movements, 249-252
OLSEN, P.D. & OLSEN, J., Movements and measurements of the Australian Kestrel *Falco cenchroides*, 35-41; Sexual size dimorphism in raptors: intrasexual competition in the larger sex for a scarce breeding resource, the smaller sex, 59-62; Egg weight loss during incubation in captive Australian Kestrels *Falco cenchroides* and Brown Goshawks *Accipiter fasciatus*, 196-199
OLSON, S.L., The relationships of the New Guinean ground-robins *Amalocichla*, 247-248
Parrot, Golden-shouldered, A comparison of temperatures recorded in nest chambers excavated in termite mounds, 57-59
Penguin, Blue, growth strategies, 212-219
Little, observations of feeding, 186-187
Periodicity of breeding behaviour of three species of Fairy-wrens, 73-77
Petrel, Blue, breeding biology at the Prince Edward Islands, 103-110
Phylogeny and systematics of estrildine finches and their relationships to other seed-eating passerines, 119-123
Pigment and morphometric variation in the Buff-rumped Thornbill, 53-56
PRENDERGAST, H.D.V. & TAYLOR, I.M., Foot-tapping by juvenile Bridled Terns *Sterna anaethetus*: A form of communication? 253-256
PYKE, G.H., see O'CONNOR, P.J.
Radio-tracking honeyeater movements, 249-252
Raptors, sexual size dimorphism: intersexual competition in the larger sex for a scarce breeding resource, the smaller sex, 59-62
RECHER, H.F., DAVIS Jr, W.E. & HOLMES, R.T., Ecology of Brown and Striated Thornbills in forests of south-eastern New South Wales, with comments on forest management, 1-13
REID, N., The Mistletoebird and Australian Mistletoes: Co-evolution or coincidence? 130-131
Relationships of the New Guinean ground-robins *Amalocichla*, 247-248
RIDPATH, M.G. & BROOKER, M.G., Sites and spacing of nests as determinants of Wedge-tailed Eagle breeding in arid Western Australia, 143-149
RINKE, D., The avifauna of 'Eua and its offshore islet Kalau, Kingdom of Tonga, 26-34
ROBERTSON, G., Effects of drought on a breeding population of Wedge-tailed Eagles *Aquila audax*, 220-223
ROBERTSON, J.S. & WOODALL, P.F., Survival of Brown Honeyeaters in south-east Queensland, 137-142
SCHODDE, R. & CHRISTIDIS, L., Genetic differentiation and subspeciation in the Grey Grasswren *Amytornis barbatus* (Maluridae), 188-192
SCHULZ, M., Observations of feeding of a Little Penguin *Eudyptula minor*, 186-187;
Temporal variation in the frequency of vocalisations of the New Guinea Harpy-Eagle, 257-258
Sexual size dimorphism in raptors: intrasexual competition in the larger sex for a scarce breeding resource, the smaller sex, 59-62
SIBLEY, C.G. & AHLQUIST, J.E., The relationships of four species of New Zealand passerine birds, 63-66; The Lesser Melampitta is a bird of paradise, 66-68
Sicklebill, Pale-billed, in Papua New Guinea, 244-246
SIMPSON, I.W., see FORD, J.
Sites and spacing of nests as determinants of Wedge-tailed Eagle breeding in arid Western Australia, 143-149
SMITH, G.T., Observations on the biology of the Western Bristlebird *Dasyornis longirostris*, 111-118
Sound review, 264
SPENCER, H., see O'CONNOR, P.J.
Status and ecology of the Red-lored Whistler *Pachycephala rufogularis*, 224-231
STEELE, W.K., see FUGLER, S.R.
STORER, R.W., Morphology and relationships of the Hoary-headed Grebe and the New Zealand Dabchick, 150-157
Survival of Brown Honeyeaters in south-east Queensland, 137-142
Syrinx morphology of Australian Treecreepers *Climacteris*, 192-195
Systematics of estrildine finches and their relationships to other seed-eating passerines, 119-123
TARBURTON, M.K., Migration and breeding strategies of the Black Noddy, Fiji, 50-52
TAYLOR, I.M., see PRENDERGAST, H.D.V.
Temporal variation in the frequency of vocalisations of the New Guinea Harpy-Eagle, 257-258
Tern, Bridled, foot-tapping by juveniles: A form of communication? 255-256
Thornbill, Brown, ecology in forests of south-eastern New South Wales, 1-13
Buff-rumped, pigment and morphometric variation, 53-56
Striated, ecology in forests of south-eastern New South Wales, 1-13
TIDEMANN, S.C. & MARPLES, T.G., Periodicity of breeding behaviour of three species of Fairy-wrens (*Malurus* spp.), 73-77
Treecreepers, Australian, the unusual syrinx morphology, 192-195
WALL, L.E., Obituary, Michael Stanley Reid Sharland, 133
Waterbirds, the New England lagoons as drought refuges, 253-255
WEAVER, C.M., A comparison of temperatures recorded in nest chambers excavated in termite mounds by the Golden-shouldered Parrot, 57-59
Whistler, Olive, macrogeographic variation in the song, 14-25
Red-lored, notes on the status and ecology, 224-231
WHITE, F.W.G., Macrogeographic variation in the song of the Olive Whistler, 14-25
WHITE, J.M., The New England lagoons as drought refuges for waterbirds, 253-255
WHITNEY, B.M., The Pale-billed Sicklebill *Epimachus bruijnii* in Papua New Guinea, 244-246
WOINARSKI, J.C.Z., Notes on the status and ecology of the Red-lored Whistler *Pachycephala rufogularis*, 224-231
WOODALL, P.F., see ROBERTSON, J.S.

INDEX OF SCIENTIFIC NAMES

VOL. 87

Compiled by A.R. McGILL

Acanthiza, 261
_____ *apicalis*, 11, 176
_____ *ewingi*, 98
_____ *iredalei*, 96
_____ *lineata*, 1-13, 261
_____ *nana*, 10
_____ *pusilla*, 1-13, 55, 98, 176
_____ *reguloides*,53-56
_____ *squamata*, 53
Acanthorhynchus superciliosus, 98
_____ *tenuirostris*, 98
Accipiter fasciatus, 196-199
_____ *nisus*, 60
Acridotheres fuscus, 242
_____ *tristis*, 242
Aechmophorus, 151
Aegintha temporalis, 119
Agelaius phoeniceus, 81
Aidemosyne modesta, 119
Ailuroedus, 78, 259
_____ *buccoides*, 207
_____ *melanotis*, 207
Alectura lathami, 172
Amadina erythrocephala, 122
_____ *fasciata*, 122
_____ *pectoralis*, 46
Amalocichla, 66
_____ *incerta*, 247-248
_____ *sclateriana*, 247-248
Amandava amandava, 120, 232-243
_____ *subflava*, 120
Amytornis barbatus, 96, 188-192
_____ *dorotheae*, 96
_____ *goyderi*, 96, 188
_____ *housei*, 96, 188
_____ *purnelli*, 96, 188
_____ *striatus*, 96, 191
_____ *textilis*, 97, 188
_____ *woodwardi*, 96
Anas gibberifrons, 254
_____ *rhynchotis*, 254
_____ *superciliosa*, 28, 254
Anhinga melanogaster, 263
_____ *novaehollandiae*, 263
Anous minutus, 29, 32, 50-52
_____ *stolidus*, 29, 32, 50
Anthochaera paradoxa, 261
Aphelocephala leucopsis, 94, 176
Aplonis tabuensis, 31
Aptenodytes forsteri, 72, 215
_____ *patagonicus*, 215
Aquila audax, 143-149, 220-223
_____ *chryaetos*, 144, 222
_____ *gurneyi*, 257
_____ *verreauxi*, 148, 223
Ardea cinerea, 263
_____ *novaehollandiae*, 254
_____ *pacifica*, 254
_____ *purpurea*, 263
Ardeola speciosa, 263
Arenaria interpres, 29
Artamus cinereus, 178
_____ *minor*, 93
Ashbyia lovensis, 92
Astrapia mayeri, 67
Atrichornis, 195
_____ *clamosus*, 111
_____ *rufescens*, 261
Barnardius barnardi, 174
_____ *zonarius*, 174
Bowdleria punctata, 63-66
Butastur liventer, 263
Buteo galapagoensis, 61
Butorides striatus, 172
Cacatua galerita, 173
_____ *leadbeateri*, 96
_____ *pastinator*, 173
_____ *roseicapilla*, 94 173
_____ *sanguinea*, 173
_____ *tenuirostris*, 173
Cacomantis sepulcralis, 263
_____ *variolosus*, 263
Calamanthus fuliginosus, 96
Calidris alpina, 263
_____ *paramelanotus*, 263
Calpytorhynchus baudinii, 173
_____ *funereus*, 173
_____ *lathami*, 83
_____ *macrorhynchus*, 47
_____ *magnificus*, 96, 173
Carduelis carduelis, 72, 122
_____ *tristis*, 141
Carpodacus, 122
Casuarius casuarius, 61
Centropus assimilis, 48
_____ *phasianinus*, 174
Certhia, 192
Ceyx azurea, 174
Chaetorhynchus papuensis, 205
Charadrius apricarius, 262
_____ *ruficapillus*, 263
Chasiempis sandwichensis, 160
Chenonetta jubata, 254
Chlamydera, 78
_____ *cerviniventris*, 260
_____ *guttata*, 83
_____ *nuchalis*, 178
Chlidonias hybrida, 254
Chloebia gouldiae, 119
Chrysococcyx minutillus, 174
Cicinnurus magnificus, 67, 78-89, 203
_____ *regius*, 67, 203
Cinclorhamphus cruralis, 65
_____ *mathewsi*, 65
Cinclosoma ajax, 207
_____ *alisteri*, 92
_____ *castaneothorax*, 175
_____ *castanotum*, 93
_____ *cinnamomeum*, 92, 175
Circus assimilis, 263
Climacteris affinis, 192-195
_____ *erythrops*, 93
_____ *leucophaea*, 251
_____ *melanura*, 192-195
_____ *picumnus*, 176
_____ *rufa*, 192-195
Clytorhynchus vitiensis, 32
Coereba flaveola, 160
Collocalia spodiopygia, 30, 98
_____ *terraereginae*, 263
Colluricincla, 64
_____ *harmonica*, 91, 175
_____ *megarhyncha*, 97, 175, 203
_____ *woodwardi*, 95
Columba livia, 33
_____ *vitiensis*, 32
Conopophila whitei, 96
Coracina boyeri, 206
_____ *caeruleogrisea*, 204
_____ *incerta*, 263
_____ *lineata*, 206
_____ *melaena*, 203
_____ *montana*, 204
_____ *morio*, 206, 263
_____ *novaehollandiae*, 174, 263
_____ *papuensis*, 174
_____ *schisticeps*, 206
_____ *tenuirostris*, 93
Corvus coronoides, 178
_____ *tasmanicus*, 100
Corythornis, 70
Cracticus argenteus, 46
_____ *cassicus*, 47
_____ *cinereus*, 46
_____ *leucopterus*, 46
_____ *nigrogularis*, 47, 178
_____ *quoyi*, 207
_____ *torquatus*, 46-49, 167
_____ *varius*, 47
Crateroscelis murina, 248
_____ *robusta*, 248
Cuculus pyrrhophanus, 69
_____ *variolosus*, 93, 174
Cygnus atratus, 254
Dacelo leachii, 174
_____ *novaeguineae*, 174
Daphoenositta, 64, 192
_____ *chrysoptera*, 176
Dasyornis brachypterus, 97, 111
_____ *broadbenti*, 93, 111
_____ *longirostris*, 111-118
Dendrocincla fuliginosa, 81
Dicaeum geelvinkianum, 130
_____ *hirundinaceum*, 130-131, 261
_____ *pectorale*, 103
Dicrurus adsimilis, 205
_____ *bracteatus*, 263
_____ *densus*, 263
_____ *hottentottus*, 202, 263
Diphyllodes, 67
Dromaius ater, 136
_____ *novaehollandiae*, 61
Drymodes beccarii, 247

_____ *brevicaudus*, 247
_____ *brunneopygia*, 93
_____ *superciliaris*, 248
Ducula bicolor, 263
_____ *luctuosa*, 263
_____ *pacifica*, 29, 32
Egretta intermedia, 254, 263
_____ *sacra*, 28
Emberiza, 122
Emblema guttatum, 124
_____ *oculatum*, 99, 124
_____ *pictum*, 96, 122, 127
_____ *temporale*, 124, 177
Eopsaltria, 247
_____ *australis*, 261
_____ *georgiana*, 99
_____ *pulverulenta*, 97
Ephthianura, 76
Epimachus albertisi, 78-89, 205
_____ *bruijnii*, 205, 244-246
_____ *fastuosus*, 205
_____ *meyeri*, 67
Eremiornis carteri, 65, 96
Erythrura coloria, 122
_____ *cyaneovirens*, 122, 241
_____ *gouldiae*, 122, 124
_____ *hyperythra*, 122
_____ *kleinschmidti*, 122
_____ *papuana*, 122
_____ *pealii*, 122
_____ *prasina*, 122
_____ *psittacea*, 122
_____ *trichroa*, 122
_____ *tricolor*, 122
_____ *viridifacies*, 122
Estrilda astrild, 120
Eudynamys cyanocephala, 263
_____ *melanorhyncha*, 263
_____ *scolopacea*, 263
_____ *taitensis*, 30
Eudyptes pachyrhynchus, 215
_____ *robustus*, 216
Eudyptula minor, 186-187, 212-219
Eupetes castanonotus, 247
_____ *incertus*, 247
Euphagus cyanocephalus, 76
Euplectes progne, 84
Falco berigora, 172
_____ *cenchroides*, 35-41, 196-199
_____ *columbarius*, 260
_____ *eleanorae*, 61
_____ *peregrinus*, 61, 196
_____ *sparverius*, 199
_____ *tinnunculus*, 40
Falcunculus, 64
Finschia novaeseelandiae, 63-66
Foudia, 122
Foulehaio carunculata, 31
Fregata ariel, 28, 128-129
Fringilla coelebs, 22, 122
Fulica atra, 253
Galerida, 194
Gallinago hardwickii, 254
Gallinula chloropus, 260
_____ *mortierii*, 162
Gallirallus philippensis, 28
Gallus gallus, 28
Geophaps albipennis, 100
_____ *plumifera*, 96
Gerygone, 207
_____ *olivacea*, 176
_____ *palpebrosa*, 176
Grantiella picta, 130
Gygis alba, 29
Gymnorhina tibicen, 178
Haematopus fuliginosus, 172
Halcyon chloris, 30
Halobaena caerulea, 103-110, 182
Harpyopsis novaeguineae, 257-258
Henicopernis longicauda, 257
Heteromunia pectoralis, 122
Heteromyias, 248
Himantopus himantopus, 254
_____ *novaezealandiae*, 72
Hirundo neoxena, 76
Hypsipetes madagascariensis, 71
Icterus galbula, 161
Lagonosticta senegala, 120, 232
Lalage maculosa, 31
_____ *sueurii*, 72, 263
_____ *tricolor*, 263
Lamprolia, 32
Larus ridibundus, 262
Leipoa ocellata, 42-45, 48, 94
Lemuresthes nana, 122
Leucosarcia melanoleuca, 93
Lichenostomus cassidix, 94
_____ *cratitius*, 98
_____ *fasciogularis*, 177
_____ *flavescens*, 98, 177
_____ *fuscus*, 177
_____ *keartlandi*, 93
_____ *leucotis*, 94, 177
_____ *melanops*, 99, 177
_____ *ornatus*, 94
_____ *penicillatus*, 177
_____ *plumulus*, 96
_____ *versicolor*, 177
Lichmera indistincta, 137-142
Lonchura caniceps, 122
_____ *cantans*, 122
_____ *castaneothorax*, 99, 122, 124, 178
_____ *flaviprymna*, 99, 122, 178
_____ *forbesi*, 122
_____ *fuscans*, 122
_____ *fuscata*, 122
_____ *grandis*, 122
_____ *griseicapilla*, 122
_____ *hunsteini*, 122
_____ *kelaarti*, 122
_____ *leucogastra*, 122
_____ *leucogastroides*, 122
_____ *leucosticta*, 122
_____ *maja*, 122
_____ *malabarica*, 122
_____ *malacca*, 122
_____ *melaena*, 122
_____ *molucca*, 122
_____ *montana*, 122
_____ *monticola*, 122
_____ *nevermanni*, 122
_____ *orizivora*, 122
_____ *pallida*, 122
_____ *pectoralis*, 124
_____ *punctulata*, 122, 124
_____ *quinticolor*, 122
_____ *spectabilis*, 122
_____ *striata*, 122
_____ *stygia*, 122
_____ *teerinki*, 122
_____ *tristissima*, 122
_____ *vana*, 122
Lophorina superba, 205
Macgregoria, 78
Machaerhamphus alcinus, 258
Machaerirhynchus, 207
Macropygia emiliana, 263
_____ *phasianella*, 263
Malurus alboscapulatus, 98
_____ *coronatus*, 95
_____ *cyaneus*, 73-77, 98
_____ *elegans*, 176
_____ *lamberti*, 73-77, 98, 175
_____ *leucopterus*, 73-77, 98
_____ *melanocephalus*, 98, 176
_____ *pulcherrimus*, 176
_____ *splendens*, 94, 175
Manacus manacus, 232
Manorina flavigula, 176, 261
_____ *melanophris*, 4
_____ *melanotis*, 160
Manucodia ater, 67, 205
_____ *chalybatus*, 205
_____ *jobiensis*, 205
_____ *keraudrenii*, 78-89, 205
Mayrornis, 32
Megadyptes antipodes, 216
Megalurus gramineus, 65
Melampitta gigantea, 66-68
_____ *lugubris*, 66-68
Melilestes megarhynchus, 141
Meliphaga flaviventer, 203
_____ *lewinii*, 93
_____ *melanops*, 261
_____ *subfrenata*, 193
Melithreptus affinis, 98
_____ *brevirostris*, 97
_____ *gularis*, 93, 177
_____ *validirostris*, 98
Menura, 195
_____ *novaehollandiae*, 93
Microeca, 207
_____ *flavigaster*, 174
_____ *leucophaea*, 92, 174
Milvus migrans, 263
Mino anais, 207
_____ *dumontii*, 207
Mirafra javanica, 263
Mohoua albicilla, 63-66
_____ *ochrocephala*, 63-66
Molothrus ater, 81
Monarcha, 207
_____ *melanopsis*, 93
Montifringilla, 122
Muscicapa, 194
Myiagra, 32
_____ *rubecula*, 175
Myrmotherula, 209

Myzomela cardinalis, 32
_____ *sanguinolenta*, 93
Neochmia modesta, 122
_____ *phaeton*, 122, 124
_____ *ruficauda*, 122, 126
_____ *temporalis*, 122
Ninox, 61
_____ *connivens*, 174
_____ *novaeseelandiae*, 174
_____ *rufa*, 174
Northiella haematogaster, 91, 174
Notornis mantelli, 72
Numenius phaeopus, 260
Nycticorax nycticorax, 260
Oreoica, 64
Oreostruthus fuliginosus, 122
Oriolus szalayi, 207
Orthonyx spaldingi, 95
_____ *temminckii*, 95
Pachycare, 207
Pachycephala, 64, 207
_____ *inornata*, 94, 224
_____ *lanioides*, 97
_____ *melanura*, 97, 175
_____ *olivacea*, 14-25
_____ *pectoralis*, 175, 224
_____ *rufiventris*, 224
_____ *rufogularis*, 94, 224-231
Pachyptila desolata, 108, 183
_____ *salvini*, 103
_____ *vittata*, 108
Padda oryzivora, 241
Parabuteo unicinctus, 61
Paradisaea minor, 67, 78, 205, 245
_____ *raggiana*, 78-89, 205
_____ *rubra*, 205
_____ *rudolphi*, 78
Pardalotus, 261
_____ *punctatus*, 177
_____ *striatus*, 177
_____ *xanthopygus*, 94, 177
Parotia lawesii, 81
_____ *sefilata*, 205
Passer, 122
_____ *domesticus*, 72
Pedionomus ocellatus, 48
Pelecanoides exsul, 183
_____ *garnoti*, 183
_____ *urinatrix*, 109, 179-185
Pellorneum, 194
Peltohyas australis, 93
Petroica, 32
_____ *australis*, 72
_____ *rodinogaster*, 100
Petronia, 122
Petrophassa albipennis, 47, 99
_____ *plumifera*, 93, 173
_____ *scripta*, 173
Pezoporus wallicus, 251
Phaethon lepturus, 28
Philemon buceroides, 99
_____ *novaeguineae*, 207
Philomachus pugnax, 83
Phylidonyris nigra, 249-252
_____ *novaehollandiae*, 97, 249-252, 261
_____ *pyrrhoptera*, 98
Pipra erythrocephala, 82
Pitohui, 64
_____ *cristatus*, 206
_____ *dichrous*, 67, 205
_____ *ferrugineus*, 202
_____ *incertus*, 203
_____ *kirhocephalus*, 203
_____ *nigrescens*, 68, 205
Platycercus, 261
_____ *adelaidae*, 99
_____ *adscitus*, 174
_____ *elegans*, 98, 173
_____ *eximius*, 173
_____ *flaveolus*, 173
_____ *subadelaidae*, 100
_____ *zonarius*, 93
Plegadis falcinellus, 254
Ploceus, 122
Pluvialis dominica, 29
Podargus strigoides, 174
Podiceps, 151
_____ *auritus*, 156
_____ *major*, 153
Podilymbus, 151
Poecilodryas, 248
Poephila acuticauda, 122, 124, 178
_____ *bichenovii*, 124, 177
_____ *cincta*, 122, 178
_____ *guttata*, 124
_____ *personata*, 122, 124
Poliocephalus poliocephalus, 150-157
_____ *rufopectus*, 150-157
Polytelis anthopeplus, 94
_____ *swainsoni*, 94
Pomatostomus isidorei, 202
_____ *temporalis*, 175
Porphyrio porphyrio, 29, 254
Porzana tabuensis, 33
Prionodura newtoniana, 259
Procellaria aequinoctialis, 108
_____ *cinerea*, 108
Procelsterna albivittata, 29
Prosopeia tabuensis, 30
Psephotus chrysopterygius, 57-59
_____ *haematonotus*, 91
Pseudopitta, 247
Psophodes cristatus, 175
_____ *nigrogularis*, 111, 163
_____ *occidentalis*, 175
_____ *olivaceus*, 93
Pteridophora alberti, 67
Pterodroma arminjoniana, 27
_____ *brevirostris*, 108, 182
_____ *macroptera*, 108
_____ *magentae*, 136
_____ *mollis*, 108
Ptilinopus alligator, 263
_____ *cinctus*, 263
_____ *iozonus*, 263
_____ *nanus*, 263
_____ *perousii*, 30
_____ *porphyraceus*, 29
_____ *regina*, 99, 173, 263
Ptilonorhynchus violaceus, 80, 93
Ptilopyga, 247
Ptilorrhoa, 247
Ptiloris, 78
_____ *magnificus*, 67, 205, 244
_____ *paradiseus*, 67, 95
Puffinus huttoni, 51
_____ *pacificus*, 27, 51
_____ *tenuirostris*, 183
Pycnonotus cafer, 33, 241
_____ *goiavier*, 241
Pycnoptilus floccosus, 93
Pycnopygius stictocephalus, 207
Pytilia melba, 120
_____ *phoenicoptera*, 120
Pygoscelis adeliae, 215
_____ *antarctica*, 215
_____ *papua*, 215
Rhagologus, 64
Rhipidura, 32, 261
_____ *fuliginosa*, 94
_____ *threnothorax*, 206
Rhodopechys, 122
Rollandia, 156
Rupicola rupicola, 80
Scenopoeetes dentirostris, 259
Seleucidis melanoleuca, 205, 246
Sericornis, 188, 207, 248
_____ *beccarii*, 176
_____ *cautus*, 98, 176
_____ *citreogularis*, 95
_____ *frontalis*, 69, 98, 176
_____ *fuliginosus*, 98, 176
_____ *humilis*, 98
_____ *magnirostris*, 93, 176
_____ *pyrrhopygius*, 176
Sericulus aureus, 207
Serinus canarius, 122
Sipodotus, 207
Sitta, 192
Speotyto cunicularia, 61
Spermestes bicolor, 122
_____ *cucullatus*, 122
_____ *fringilloides*, 122
Sphecotheres viridis, 178
Spheniscus demersus, 216
_____ *mendiculus*, 216
Stagonopleura bella, 122
_____ *guttata*, 122
_____ *oculata*, 122
Stercorarius parasiticus, 263
_____ *pomarinus*, 263
_____ *skua*, 103
Sterna anaethetus, 255-256
_____ *bergii*, 29
_____ *hirundo*, 60
Stipiturus malachurus, 98, 163
_____ *ruficeps*, 96
Strepera graculina, 94, 178
_____ *versicolor*, 94, 178, 261
Sturnus vulgaris, 31
Sula dactylatra, 128-129
_____ *leucogaster*, 28, 128-129
_____ *sula*, 32, 51
Sylvia, 194
Tachybaptus novaehollandiae, 151
Taeniopygia bichenovii, 122
_____ *guttata*, 76,122
Thamnomanes, 209

Threskiornis aethiopicus, 254
_____ *spinicollis*, 254
Tiaris, 122
Timeliopsis griseigula, 203
Trachyphonus, 71
Tregellasia capito, 95
Trichoglossus, 261
Tringa incana, 29
Trochilus polytmus, 160
Turdus poliocephalus, 32
Turnix, 61
_____ *olivei*, 172
_____ *varia*, 98, 172
Tyto alba, 30
_____ *novaehollandiae*, 98, 174
_____ *tenebricosa*, 93
Uraeginthus bengalus, 120
Vanellus miles, 172, 254
_____ *vanellus*, 262
Vini australis, 33
Xanthotis polygramma, 141
Zonotrichia georgiana, 22
_____ *leucophrys*, 241
Zosterops, 207
_____ *borbonica*, 160
_____ *citrinella*, 98
_____ *lateralis*, 32, 98, 177

ERRATA

Page 28. *Anas superciliosas* should be *Anas superciliosa*
Page 47. col. 2, para. 4, last sentence. Replace 'The photograph (Fig. 1) also shows that ... on the sides of the breast'.' with 'Now have another look at the photograph (Fig. 1): in the nomenclature of Ford, the Kimberley specimen would have 'a partly developed black bib or necklace', and the specimen from Carbunup 'a vestigial black frill on the sides of the breast'.'
Page 50. *Ratus exulans* should be *Rattus exulans*
Page 61. *Parabuteo unicitus* should be *Parabuteo unicinctus*
Page 63. *Frincilla albicilla* should be *Fringilla albicilla*
Page 67. *Astrapia meveri* should be *Astrapia mayeri*
Page 71. *Hysipetes madagascariensis* should be *Hypsipetes madagascariensis*
Page 91. *Northiella (psephotus) haematogaster* should be *Northiella (Psephotus) h . . .*
Page 93. *Semiornis (Hylacola) cautus* should be *Sericornis (Hylacola) cautus*
Page 93. *P. e. subadelaidea* should be *P. s. subadelaidae*
Page 93. *Leucosarcia melanoieuca* should be *Leucosarcia melanoleuca*
Page 93. Eastern Rosella should be Crimson Rosella
Page 94. *Sericornis cauta* should be *Sericornis cautus*
Page 97. *Pchycephala melanura* should be *Pachycephala melanura*
Page 98. *Sericornis cautus halmanturinus* should be *Sericornis cautus halmaturinus*
Page 98. *Acanthiza pusilla archbaldi* should be *Acanthiza pusilla archibaldi*
Page 100. *N. haematonotus caeruleus* should be *P. haematonotus caeruleus*
Page 101. McGill R.G. should be McGill A.R.
Page 125. *Poephila neuticauda* should be *Poephila acuticauda*
Page 141. *Melilestes megorhynchus* should be *Melilestes megarhynchus*
Page 204. *Coracina caerulegrisea* should be *Coracina caeruleogrisea*
Page 241. *Pycnonotus goiaver* should be *Pycnonotus goiavier*
Page 258. *Macheiramphus alcinus* should be *Machaerhamphus alcinus*
Page 263. *Ducula luctosa* should be *Ducula luctuosa*
Page 263. *Ardea cinceria* should be *Ardea cinerea*
Page 263. *C. paramelanotus* should be *C. paramelanotos*
Page 263. *Pilonopus cinctus* should be *Pilinopus cinctus*
Page 263. *P. r. roseiplieum* should be *P. r. roseipileum*
Page 241. *Erythrura cyanovirens* should be *Erythrura cyaneovirens*
Page 251. *Pezoporus wollicus* should be *Pezoporus wallicus*
Page 251. *Climacteris leucophoea* should be *Climacteris leucophaea*